




**DART**


DESIGN JB	DRAWN BY <i>[Signature]</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>[Signature]</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D2109	REV. A SHEET 1 OF 3
DATE 05.04.06		TITLE VALVE BRACKET ASSEMBLY	SCALE 1:2
-	92.02.13	NEW ISSUE	
A	05.04.06	REDRAWN; ADDED FLAT PATTERN	

**RELEASED**  
05.04.28 *[Signature]***D2109 BRACKET ASSEMBLY****D2109-1 BRACKET****NOTES:**

- 1) WELD PER QSI 004
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1  
POWDER COAT BLACK BLACK SANTEX (4.3.5.7) PER DART QSI 005 4.3
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES

**DART**


DESIGN JB	DRAWN BY <i>PJ</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>M</i>	APPROVED <i>M</i>	DRAWING NO. D2109	REV. A SHEET 2 OF 3
DATE 05.04.06		TITLE VALVE BRACKET ASSEMBLY	SCALE 1:2

**RELEASED**  
05.04.28 *M***D2109-1 FLAT PATTERN**NOTES:

- 1) MATERIAL: 6061-T6 (QQ-A-250/11) 0.063 THICK (REF. DART SPEC. M6061T6S.063)
- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 3) ALL DIMENSIONS ARE IN INCHES
- 4) BREAK ALL SHARP EDGES 0.005 TO 0.010

**DART**

DESIGN JB	DRAWN BY <i>[Signature]</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>[Signature]</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D2109	REV. A SHEET 3 OF 3
DATE 05.04.06	TITLE VALVE BRACKET ASSEMBLY		SCALE 1:2

**RELEASED**  
05.04.28 *[Signature]***D2109-3 DECAL****NOTES:**

- 1) MATERIAL: WHITE LETTERS ON BLACK ADHESIVE BACK  
MANUFACTURED FROM 3M 7 MIL MASKING FILM #8522CP OR AVERY IPM #2031  
MAXIMUM SIZE 7.5 WIDE x 1.58 HIGH  
REMOVE HOLES FROM THE DECAL
- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 3) ALL DIMENSIONS ARE IN INCHES